

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22530	709/219,226,223.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/08 13:06
L2	239	(johnson near kirk).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/08 13:14
S1	2	("6078960").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/01 15:38
S2	21222446	@ad<"20000120"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:39
S4	228	(johnson near kirk).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:40
S5	18830	709/219,226,223.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:43
S6	0	@ad<"20000120" and (add or additional) near server with (list or table) same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:44
S7	0	@ad<"20000120" and (add or additional) with server with (list or table) same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:44
S8	7	@ad<"20000120" and (add or additional) with server \same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:44

S9	7	@ad<"20000120" and (add or additional) with server same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:44
S10	8952	@ad<"20000120" and list with servers and (supplemental or additional or extra) with server same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:53
S11	5	@ad<"20000120" and list with servers and (supplemental or additional or extra) with server same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:56
S12	2	("6108703").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/01 16:01
S13	0	@ad<"20000120" and (append or prepend) same server same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 16:01
S14	147	@ad<"20000120" and list with servers same (static or preferred or dedicated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 16:16
S15	808	@ad<"20000120" and list with servers same (static or preferred or dedicated or specific)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 16:17
S16	79	@ad<"20000120" and list with servers same (preferred or dedicated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 16:17
S17	9	@ad<"20000120" and list near servers same (preferred or dedicated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 16:51
S18	12	@ad<"20000120" and (add or append or include) with server near (fixed or dedicated or random) same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 16:55

S19	5	@ad<"20000120" and (add or append or include) with random near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 17:03
S20	11	@ad<"20000120" and (add or append or include) near random near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 17:03
S21	0	@ad<"20000120" and (add or append or include) with list same random near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 17:04
S22	1214	@ad<"20000120" and (add or append or include) with list with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 17:05
S23	4	@ad<"20000120" and list with always near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:36
S24	26	@ad<"20000120" and list with server near (common or preferred or fixed or dedicated or static)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:38
S25	0	@ad<"20000120" and list with server with (common or preferred or fixed or dedicated or static) near display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:40
S26	0	@ad<"20000120" and list with server with (common or preferred or fixed or dedicated or static) near add	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:41
S27	7	@ad<"20000120" and server with (common or preferred or fixed or dedicated or static) near (add or append or prepend or always)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:41
S28	10	@ad<"20000120" and server with (always or common or preferred or fixed or dedicated or static) near (add or append or prepend)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:42

S29	35	@ad< "20000120" and server with (add or append or prepend) near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:48
S30	72	@ad< "20000120" and server with (add or append or prepend) near (list or table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:49
S31	0	@ad< "20000120" and random same server with (add or append or prepend) near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:56
S32	0	@ad< "20000120" and random same address with (add or append or prepend) near (list or table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:59
S33	9	@ad< "20000120" and (add or append or prepend) near (list or table or database) same random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:11
S34	2	("6,578,066").FN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/03 11:36
S35	15	@ad< "20000120" and always near (list) same (server or entry or address) and server same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:50
S36	56	@ad< "20000120" and always near (list) same (server or entry or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:51
S37	5	@ad< "20000120" and always near (list) same (server or entry or address) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:51
S38	3	@ad< "20000120" and always near (include or add or contain) same list same (server or entry or address) and server same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:54

S39	25	@ad< "20000120" and always near (include or add or contain) same list same (server or entry or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:54
S40	43	@ad< "20000120" and always near (display or include or add or contain) same list and ("709"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:57
S41	9	@ad< "20000120" and always near (display or include or add or contain) same list same (server or address) and ("709"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:04
S42	2	@ad< "20000120" and randomly with insert with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:05
S43	0	@ad< "20000120" and randomly with insert with list same (server or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:06
S44	3	@ad< "20000120" and (random or randomly) near (insert or add or display) with list same (server or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:06
S45	0	@ad< "20000120" and (random or randomly) near (insert or add or display) with list same results	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:09
S46	213	@ad< "20000120" and (random or randomly) near (insert or add or display or include) with (list or results)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:12
S47	7	@ad< "20000120" and (random or randomly) near (insert or add or display or include) with (list or results) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:14
S48	0	@ad< "20000120" and (random or randomly) near (insert or add or display or include) with (list same results)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:15

S49	0	@ad<"20000120" and (random or randomly or always) near (insert or add or display or include) with (list same results)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:16
S50	7	@ad<"20000120" and (random or randomly or always) with (insert or add or display or include) with (list same results)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:16
S51	42	@ad<"20000120" and (random or randomly or always) same (insert or add or display or include) with (list same results)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:17
S52	169	@ad<"20000120" and results with display and (random or randomly) with (insert or add or display or include) same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:22
S53	24	@ad<"20000120" and results with display and (random or randomly) with (insert or add or display or include) same (address or link or server) same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:22
S54	5	@ad<"20000120" and results with display and (random or randomly) with (insert or add or display or include) same (address or link or server) same list and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:23
S55	29	@ad<"20000120" and search with results and (insert or add or display or include) with random same (address or link or server) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:25
S56	1	@ad<"20000120" and random with search with results and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:28
S57	12	@ad<"20000120" and (always) with search with results and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:28

S58	0	@ad< "20000120" and (always same random) with search with results and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:35
S59	0	@ad< "20000120" and (always same unrelated) with search with results and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:35
S60	2	@ad< "20000120" and (unrelated) with search with results and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:35
S61	798070	@ad< "20000120" and random with (reference or link) same unrelated server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:39
S62	0	@ad< "20000120" and random with (reference or link) same unrelated with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:39
S63	0	@ad< "20000120" and random with (reference or link) same unrelated same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:39
S64	0	@ad< "20000120" and random same (reference or link) same unrelated same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:40
S65	225	@ad< "20000120" and (include or add or append) with (random or independent) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:41
S66	614	@ad< "20000120" and (include or add or append) with (random or unrelated or independent) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:41
S67	193	@ad< "20000120" and (include or add or append) with (random or unrelated or independent) with server and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:41

S68	9	@ad<"20000120" and (include or add or append with (random or unrelated or independent) near server and "709"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:41
S69	83	@ad<"20000120" and (include or add or append or list) with (random or unrelated or independent) near results	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:43
S70	37	@ad<"20000120" and (include or add or append or list) with (random or unrelated or independent) near search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:44
S71	260	@ad<"20000120" and random with unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:52
S72	1	@ad<"20000120" and random with unrelated with search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:52
S73	270	@ad<"20000120" and search with result same probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:55
S74	116	@ad<"20000120" and search with result with probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:56
S75	30	@ad<"20000120" and search near result with probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:56
S76	2	("6006218").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/16 11:41
S77	2	("20010039585").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/29 14:30



S78	237	johnson.in. near kirk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/29 14:39
S79	17	S78 and (weights).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/29 14:40
S80	0	S78 and (weights same fixed).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/29 14:40
S81	0	S78 and (weights same server same candidate). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/29 14:40
S82	4	johnson.in. and (weight same server).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/29 14:41

## EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	4	johnson.in. and (weight same candidate).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/11/08 13:14
L4	19	johnson.in. and (weight same random\$.clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/11/08 13:14
L5	2	johnson.in. and (weight and random\$ and server).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/11/08 13:14
L6	0	johnson.in. and (weight same random\$ and server).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/11/08 13:14
L7	4	johnson.in. and (weight same server).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/11/08 13:14
S83	4	johnson.in. and (weight same server).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/29 14:41
S84	4	johnson.in. and (weight same candidate).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/29 14:41
S85	19	johnson.in. and (weight same random\$.clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/29 14:42
S86	0	johnson.in. and (weight same random\$ and server).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/29 14:42

S87	2	johnson.in. and (weight and random\$ and server).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/29 14:42
-----	---	---	--------------------------	----	----	------------------

11/ 8/ 2010 1:14:51 PM

C:\Documents and Settings\bbruckart\My Documents\EAST\Workspaces\09824527.wsp